Day : Tuesday
Date: 8/31/2004
Time: 13:55:14

PALM INTRANET

Continuity Information for 10/603254

Assignee: Bank of America

Parent Data

10603254
is a continuation of 09435576 DP
Which is a continuation of 09339494 (ABN)
Which is a continuation in part of 08989253 DP

Child Data

No Child Data

Appln Info | Contents | Petition Info | Atty/Agent Info | **Continuity Data** | Foreign Data | Inventors

Search Another: Application# [ ] Search **or Patent#** [ ] Search

PCT / [ ] / [ ] Search **or PG PUBS #** [ ] Search

Attorney Docket # [ ] Search

Bar Code # [ ] Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

6,485,748 Diff Assignee / Diff Inventive Entity
One common Inventor

Display Summary Show: 20 Sort Send to Text

Items 1-20 of 27 Page 1 of 2 Next

☐ **1:** Lohitnavy M, Lohitnavy O, Chaijittiprasert K, Taytiwat P, Polnok S. Related Articles, Links

Bioequivalence study of two formulations of simvastatin tablets in healthy Thai volunteers.
Arzneimittelforschung. 2004;54(1):31-4.
PMID: 14979606 [PubMed - indexed for MEDLINE]

☐ **2:** Zhi J, Moore R, Kanitra L, Mulligan TE. Related Articles, Links

Effects of orlistat, a lipase inhibitor, on the pharmacokinetics of three highly lipophilic drugs (amiodarone, fluoxetine, and simvastatin) in healthy volunteers.
J Clin Pharmacol. 2003 Apr;43(4):428-35.
PMID: 12723464 [PubMed - indexed for MEDLINE]

☐ **3:** Donovan JM, Kisicki JC, Stiles MR, Tracewell WG, Burke SK. Related Articles, Links

Effect of colesevelam on lovastatin pharmacokinetics.
Ann Pharmacother. 2002 Mar;36(3):392-7.
PMID: 11895049 [PubMed - indexed for MEDLINE]

☐ **4:** Bucher M, Mair G, Kees F. Related Articles, Links

Effect of roxithromycin on the pharmacokinetics of lovastatin in volunteers.
Eur J Clin Pharmacol. 2002 Jan;57(11):787-91.
PMID: 11868800 [PubMed - indexed for MEDLINE]

☐ **5:** Ichimaru N, Takahara S, Kokado Y, Wang JD, Hatori M, Kameoka H, Inoue T, Okuyama A. Related Articles, Links

Changes in lipid metabolism and effect of simvastatin in renal transplant recipients induced by cyclosporine or tacrolimus.
Atherosclerosis. 2001 Oct;158(2):417-23.
PMID: 11583721 [PubMed - indexed for MEDLINE]

☐ **6:** Kyrklund C, Backman JT, Kivisto KT, Neuvonen M, Laitila J, Neuvonen PJ. Related Articles, Links

Plasma concentrations of active lovastatin acid are markedly increased by gemfibrozil but not by bezafibrate.
Clin Pharmacol Ther. 2001 May;69(5):340-5.
PMID: 11372002 [PubMed - indexed for MEDLINE]

☐ **7:** Prueksaritanont T, Vega JM, Zhao J, Gagliano K, Kuznetsova O, Musser B, Amin RD, Liu L, Roadcap BA, Dilzer S, Lasseter KC, Rogers JD. Related Articles, Links

Interactions between simvastatin and troglitazone or pioglitazone in

healthy subjects.
J Clin Pharmacol. 2001 May;41(5):573-81.
PMID: 11361054 [PubMed - indexed for MEDLINE]

☐ **8:** Ziviani L, Da Ros L, Squassante L, Milleri S, Cugola M, Iavarone LE. Related Articles, Links

The effects of lacidipine on the steady/state plasma concentrations of simvastatin in healthy subjects.
Br J Clin Pharmacol. 2001 Feb;51(2):147-52.
PMID: 11259986 [PubMed - indexed for MEDLINE]

☐ **9:** Prueksaritanont T, Vega JM, Rogers JD, Gagliano K, Greenberg HE, Gillen L, Brucker MJ, McLoughlin D, Wong PH, Waldman SA. Related Articles, Links

Simvastatin does not affect CYP3A activity, quantified by the erythromycin breath test and oral midazolam pharmacokinetics, in healthy male subjects.
J Clin Pharmacol. 2000 Nov;40(11):1274-9.
PMID: 11075313 [PubMed - indexed for MEDLINE]

☐ **10:** Lilja JJ, Kivisto KT, Neuvonen PJ. Related Articles, Links

Duration of effect of grapefruit juice on the pharmacokinetics of the CYP3A4 substrate simvastatin.
Clin Pharmacol Ther. 2000 Oct;68(4):384-90.
PMID: 11061578 [PubMed - indexed for MEDLINE]

☐ **11:** Masica AL, Azie NE, Brater DC, Hall SD, Jones DR. Related Articles, Links

Intravenous diltiazem and CYP3A-mediated metabolism.
Br J Clin Pharmacol. 2000 Sep;50(3):273-6.
PMID: 10971313 [PubMed - indexed for MEDLINE]

☐ **12:** Bramer SL, Brisson J, Corey AE, Mallikaarjun S. Related Articles, Links

Effect of multiple cilostazol doses on single dose lovastatin pharmacokinetics in healthy volunteers.
Clin Pharmacokinet. 1999;37 Suppl 2:69-77.
PMID: 10702889 [PubMed - indexed for MEDLINE]

☐ **13:** Rogers JD, Zhao J, Liu L, Amin RD, Gagliano KD, Porras AG, Blum RA, Wilson MF, Stepanavage M, Vega JM. Related Articles, Links

Grapefruit juice has minimal effects on plasma concentrations of lovastatin-derived 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors.
Clin Pharmacol Ther. 1999 Oct;66(4):358-66.
PMID: 10546919 [PubMed - indexed for MEDLINE]

☐ **14:** Lilja JJ, Kivisto KT, Neuvonen PJ. Related Articles, Links

Grapefruit juice increases serum concentrations of atorvastatin and has no effect on pravastatin.
Clin Pharmacol Ther. 1999 Aug;66(2):118-27.
PMID: 10460065 [PubMed - indexed for MEDLINE]

☐ **15:** Xu F, Wu ZH, Zhang ZY, Zou HQ. Related Articles, Links

Delay of metabolism rate of ciclosporin by simvastatin in 7 Chinese healthy men.
Zhongguo Yao Li Xue Bao. 1998 Sep;19(5):443-4.

PMID: 10375806 [PubMed - indexed for MEDLINE]

☐ **16:** Lilja JJ, Kivisto KT, Neuvonen PJ. Related Articles, Links

Grapefruit juice-simvastatin interaction: effect on serum concentrations of simvastatin, simvastatin acid, and HMG-CoA reductase inhibitors.
Clin Pharmacol Ther. 1998 Nov;64(5):477-83.
PMID: 9834039 [PubMed - indexed for MEDLINE]

☐ **17:** Azie NE, Brater DC, Becker PA, Jones DR, Hall SD. Related Articles, Links

The interaction of diltiazem with lovastatin and pravastatin.
Clin Pharmacol Ther. 1998 Oct;64(4):369-77.
PMID: 9797793 [PubMed - indexed for MEDLINE]

☐ **18:** Kantola T, Kivisto KT, Neuvonen PJ. Related Articles, Links

Erythromycin and verapamil considerably increase serum simvastatin and simvastatin acid concentrations.
Clin Pharmacol Ther. 1998 Aug;64(2):177-82.
PMID: 9728898 [PubMed - indexed for MEDLINE]

☐ **19:** Bailey DG, Malcolm J, Arnold O, Spence JD. Related Articles, Links

Grapefruit juice-drug interactions.
Br J Clin Pharmacol. 1998 Aug;46(2):101-10. Review.
PMID: 9723817 [PubMed - indexed for MEDLINE]

☐ **20:** Kivisto KT, Kantola T, Neuvonen PJ. Related Articles, Links

Different effects of itraconazole on the pharmacokinetics of fluvastatin and lovastatin.
Br J Clin Pharmacol. 1998 Jul;46(1):49-53.
PMID: 9690949 [PubMed - indexed for MEDLINE]

Items 1-20 of 27 Page 1 of 2 Next

Display Summary Show: 20 Sort Send to Text

NCBI PubMed National Library of Medicine NLM

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Bo

Search PubMed for lovastatin + AUC + Cmax + tablet Go Clear

Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources
Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Display Summary Show: 20 Sort Send to Text

Items 1-3 of 3 One page.

☐ 1: Lohitnavy M, Lohitnavy O, Chaijittiprasert K, Taytiwat P, Polnok S. Related Articles, Links

Bioequivalence study of two formulations of simvastatin tablets in healthy Thai volunteers.
Arzneimittelforschung. 2004;54(1):31-4.
PMID: 14979606 [PubMed - indexed for MEDLINE]

☐ 2: Prueksaritanont T, Vega JM, Zhao J, Gagliano K, Kuznetsova O, Musser B, Amin RD, Liu L, Roadcap BA, Dilzer S, Lasseter KC, Rogers JD. Related Articles, Links

Interactions between simvastatin and troglitazone or pioglitazone in healthy subjects.
J Clin Pharmacol. 2001 May;41(5):573-81.
PMID: 11361054 [PubMed - indexed for MEDLINE]

☐ 3: McClelland GA, Stubbs RJ, Fix JA, Pogany SA, Zentner GM. Related Articles, Links

Enhancement of 3-hydroxy-3-methylglutaryl-coenzyme A (HMG-CoA) reductase inhibitor efficacy through administration of a controlled-porosity osmotic pump dosage form.
Pharm Res. 1991 Jul;8(7):873-6.
PMID: 1924137 [PubMed - indexed for MEDLINE]

Display Abstract Show: 20 Sort Send to Text

☐ 1: Pharm Res. 1991 Jul;8(7):873-6.

Enhancement of 3-hydroxy-3-methylglutaryl-coenzyme A (HMG-CoA) reductase inhibitor efficacy through administration of a controlled-porosity osmotic pump dosage form.

McClelland GA, Stubbs RJ, Fix JA, Pogany SA, Zentner GM.

INTERx Research Corporation, Merck Sharp & Dohme Research Laboratories, Lawrence, Kansas 66047.

An extended-release osmotic dosage form was designed for gastrointestinal delivery of the water-soluble tromethamine salt of the beta-hydroxyacid form of simvastatin, a potent HMG-CoA reductase inhibitor and cholesterol lowering agent. The cholesterol lowering efficacy and systemic plasma drug levels resulting from peroral administration of this dosage form, relative to a powder-filled capsule oral bolus, were evaluated in dogs. A twofold improvement in cholesterol lowering efficacy was realized with the controlled-release dosage form that was accompanied by a drug AUC and Cmax that were 67 and 16%, respectively, of those achieved with the bolus dosage form. These results suggest that extended-release dosage forms have the potential for a dose-sparing advantage in the administration of HMG-CoA reductase inhibitors for the treatment of hypercholesterolemia.

PMID: 1924137 [PubMed - indexed for MEDLINE]

Display Abstract Show: 20 Sort Send to Text

Freeform Search

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Term: L6 and lovastatin

Display: 20 **Documents in Display Format:** - **Starting with Number** 1

Generate: ○ Hit List ◉ Hit Count ○ Side by Side ○ Image

Search | Clear | Interrupt

Search History

DATE: Thursday, September 02, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR			
L7	L6 and lovastatin	26	L7
L6	alberts.in.	71652	L6
L5	l3 and ((sustain$ or controll$) near release$)	33	L5
L4	L3 and (lovastatin near acid)	4	L4
L3	(lovastatin or $statin) same AUC	52	L3
L2	L1 and (lovastatin or $statin)	4	L2
L1	chen.in. and (chih near ming)	186	L1

END OF SEARCH HISTORY